Massachusetts Center for Health Information and Analysis

Outpatient Emergency Department Visit Data

File Submission Guide

April 2014



CHIA has adopted regulation 114.1 CMR 17.00 to require the reporting of Hospital Inpatient Discharge Data, Outpatient Emergency Department Visit Data and Outpatient Observation Data to the Center for Health Information and Analysis. This document provides the technical and data specifications, including edit specifications required for the Outpatient Emergency Department Visit Data.

This submission guide will be in effect beginning with the quarterly submission of 10/1/2014 – 12/31/2014 data due at CHIA on March 16, 2015.

Table of Contents

Outpatient Emergency Department Visit Submission Overview	1
Definitions	1
Data File Format	
Data Transmission Media Specifications	1
File Naming Convention	2
+Outpatient Emergency Department Visit Record Specification	2
Outpatient Emergency Department Visit Record Specification	3
Record Specification Elements	3
Field Types	4
Record Type Inclusion Rules	5
RECORD TYPE 10 - PROVIDER DATA	6
RECORD TYPE 20 – PATIENT ED VISIT DATA	8
RECORD TYPE 21 – PATIENT REASON FOR VISIT	21
RECORD TYPE 25 – PATIENT ADDRESS AND ETHNICITY	22
RECORD TYPE 50 – PATIENT DIAGNOSIS DATA	27
RECORD TYPE 55 – PATIENT PROCEDURE DATA	47
RECORD TYPE 60 – PATIENT ED VISIT SERVICE LINE ITEMS	56

RECO	RD TYPE 94 – HOSPITAL SERVICE SITE SUMMARY	59			
RECO	RD TYPE 95 – PROVIDER BATCH CONTROL	63			
Outpat	tient Emergency Department Visit Data Code Tables:	64			
I) C	CHIA Organization IDs for Hospitals	64			
II)	Payer Type Code	68			
III)	Source of Payment Code	69			
IV)	Patient Sex	69			
V)	Patient Race	69			
VI)	Patient Hispanic Indicator	70			
VII)	Patient Ethnicity	70			
VIII)	Type of Visit	71			
IX)	Source of Visit	71			
X)	Patient Departure Status Code	72			
XI)	Other Caregiver Code	73			
XII)	Patient's Mode of Transport Code	73			
XIII)	Homeless Indicator	74			
XIV)	Condition Present on Visit Flag	74			
Outpatient Emergency Department Visit Data Quality Standards					
Definit	tions	76			
Submi	ittal Schedule	76			

Outpatient Emergency Department Visit Submission Overview

Data To Include in Outpatient Emergency Department Visit Electronic Submissions

Emergency department visit data shall be reported, as required by Regulation 114.1 CMR 17, for all emergency department visits, including Satellite Emergency Facility visits, by patients whose visits result in neither an outpatient observation stay nor an inpatient admission at the reporting facility.

Definitions

Terms used in this specification are defined in the regulation's general definition section or are defined in this specification document. If a term is not otherwise defined, use any applicable definitions from the other sections of the regulation.

Data File Format

The data must be submitted in a fixed-length text file format using the following format specifications:

Records	250-character rows of text
Record Separator	Carriage return and line feed must be placed at the end of each record

Data Transmission Media Specifications

Data will be transferred to CHIA via the Internet. In order to do that in a secure manner CHIA's Secure Encryption and Decryption System (SENDS) must be utilized. You must first download a copy of the Secure Encryption and Decryption System (SENDS) from the CHIA web site.

There is a separate installation guide for installing the SENDS program. SENDS will take your submission file and compress, encrypt and rename it in preparation of transmitting to CHIA. The newly created encrypted file shall be transferred to CHIA via its INET website.

File Naming Convention

In order for CHIA to correctly associate each file with the proper provider please use the following naming convention for all files:

ED_######_CCYY_# where

= Provider CHIA organization ID – do not pad with zeros

CCYY = the Fiscal Year for the data included

= the Quarter being reported.

For Test Files please include a "_TEST" at the end of the file name. (ex: ED_123_2001_1_TEST).

+

Outpatient Emergency Department Visit Record Specification

Record Specification Elements

The Outpatient Emergency Department Data File is made up of a series of 250 character records. The Record Specifications that follow provide the following data for each field in the record:

Data Element	Definition
F#	Sequential number for the field in the record (Field Number).
Field Name	Name of the Field.
Туре	Data format required for field (Field Type). Refer to Field Types section below.
Lgth	Record length or number of characters in the field.
Pos Frm	Beginning position of the field in the 250 character record.
Pos To	Ending position of the field in the 250 character record.
R?	Field Requirement Indicator. R = Required, N = Not Required, C = Conditionally Required. Refer to Edit Specifications data (below) for details about requirements.
Field Definition	Definition of the field name and/or description of the expected contents of the field.
Edit Specifications	Explanation of Conditional Requirements. List of edits to be performed on fields to test for validity of File, Batch, and Claim.

Data Element	Definition
Error Type	A or B. One A error or two B errors will cause the record to fail. All errors will be recorded for each patient record. An entire provider filing will be rejected if:
	(a) any Category A elements of Provider Record (Record Type 10), Hospital Service Site Summary (Record Type 94), Provider Batch Control Record (Record Type 95) or End of Line Indicators are in error or
	(b) any required record types are missing or out of order or
	(c) if 1% or more of discharges are rejected or
	(d) if 50 consecutive records are rejected.
	Failed filings must be resubmitted within 30 days.
	W (warnings) may also be reported on the edit error reports to Hospitals, for items which are notable but which will not cause a file or a record to fail. An example is a requirement which will not be enforced until a later date.

Field Types

Field Type	Field Use	Definition	Examples
Text	Date field	Date fields are 8 characters. The field is formatted as	February 14, 2000 would be entered as:
		follows:	20000214
		CCYYMMDD	
	Field containing alpha-numeric data,	Alphanumeric characters (A- Z and 0-9), left justified with trailing spaces.	a) Submitter Name (a 21 character field) might be entered as:
	which will not be used in a numeric		County Memorial
	calculation		b) The ED Physician number (a 6 character field) might be entered as:
			366542

Revised April 2014

Field Type	Field Use	Definition	Examples
Numeric (Num)	A numeric field which will be used in	Numeric, whole, unsigned, integer digits, right-justified with leading zeros.	Number of Claims (a 6 character field) might be entered as:
	a calculation		000229
Currency (Curr)	A numeric field	(Unformatted) numeric, whole, unsigned integer digits.	20 dollars in a 9 character field might be
	which will contain a currency amount	Do not include cents.	entered as:
	•	Do NOT use EBCDIC signed fields.	00000020

Record Type Inclusion Rules

Record Type and Title	Required?	Conditions	Number
Record Type '10': Provider Data	R	Must be present.	One per File.
Record Type '20': Patient ED Visit Data	R	Must be present.	One per ED Visit.
Record Type '21': Patient Reason for Visit	R	Must be present.	One per ED Visit
Record Type '25': Patient Address and Ethnicity	R	Must be present.	One per ED Visit
Record Type '50' Patient Diagnosis Data	R	Must be present.	Unlimited number per ED Visit
Record Type '55' Patient Procedure Data	R	Must be present.	Unlimited number per ED Visit
Record Type '60': Patient ED Visit Service Line Items	R	Must be present	Unlimited number per ED Visit
Record Type '94': Hospital Service Site Summary	R	Must be present	Unlimited number per File.
Record Type '95': Provider Batch Control	R	Must be present.	One per File.

RECORD TYPE 10 - PROVIDER DATA

- Required as first record for every file.
- Only one allowed per file.
- Must be followed by RT 20.

							Record Type '10': Provider Data		
F#	FIELD NAME	Туре	Lgth		Pos To	R?	Edit Specifications	Field Definition	Error Type
1	Record type '10'	Text	2	1	2	R	Must be present. Must be 10.	Indicator for Record Type '10': Provider Data	A
2	CHIA Organization ID for Provider	Text	7	3	9	R	Must be present. Characters must be numeric. Must be valid entry as specified in Data Code Tables. (Section I)	The Organization ID assigned by the Massachusetts Center for Health Information and Analysis (CHIA) to the provider filing the submission. (IdOrgFiler)	A
3	Filler	Text	4	10	13	N			
4	Provider Name	Text	25	14	38	R	Must be present.	Name of provider submitting this batch of ED visits.	A
5	Provider Address	Text	25	39	63	N	May be present.	Mailing address of the provider: Address.	
6	Provider City	Text	14	64	77	N	May be present.	Mailing address of the provider: City.	

							Record Type '10': Provider Data		
F#	FIELD NAME	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
7	Provider State	Text	2	78	79	N	May be present.	Mailing address of the provider: State	
8	Provider ZIP Code	Text	9	80	88	N	May be present. Characters must be numeric.	Mailing address of the provider: Zip Code	
9	Period Starting Date	Text	8	89	96	R	Must be present. Must be valid date format (CCYYMMDD). Must be valid Quarter Begin Date.	Valid quarter begin date. CCYY1001, CCYY0101, CCYY0401, CCYY0701	А
10	Period Ending Date	Text	8	97	104	R	Must be present. Must be valid date format (CCYYMMDD). Must be valid Quarter End Date.	Valid quarter end date. CCYY1231, CCYY0331, CCYY0630, CCYY0930	A
11	Processing Date	Text	8	105	112	R	Must be present. Must be valid date format (CCYYMMDD). Must not be later than today's date.	Date provider prepares file.	A
12	File Reference Number	Text	7	113	119	N	May be present.	Inventory number of the file as assigned by the provider.	
13	Filler	Text	131	120	250	N			

RECORD TYPE 20 - PATIENT ED VISIT DATA

- Required for every ED Visit.
- Only one allowed per ED Visit.
- Must follow either RT 10 or RT 60.
- Must be followed by RT 21.

						F	Record Type '20': Patient ED Visit Dat	ra .	
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
1.	Record type '20'	Text	2	1	2	R	Must be present. Must be 20.	Indicator for Record Type '20': Patient ED Visit Data	A
2.	Hospital Service Site Reference	Text	7	3	9	С	Must be present if reporting more than one Site of Service in a single provider submission. If present, must be a valid CHIA Organization number as specified in Data Code Tables (Section I).	Designated CHIA Organization ID Number for the Site of Service (IdOrgSite)	A
3.	Social Security Number	Text	9	10	18	R	Must be present. Must be numeric. Must be valid social security number or '000000001' if unknown.	Patient's social security number	A

						F	Record Type '20': Patient ED Visit Data	a	
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
4.	Medical Record Number	Text	10	19	28	R	Must be present.	Patient's hospital Medical Record Number	A
5.	Billing Number	Text	17	29	45	R	Must be present.	Hospital Billing Number for the patient	А
6.	Mother's Social Security Number	Text	9	46	54	С	Must be present for infants one year old or less. Must be numeric. Must be valid social security number or '000000001' if unknown.	Mother's social security number for infants up to one year old or less	В
7.	Medicaid Claim Certificate Number	Text	17	55	71	С	Must be present if Payer Source Code has a Medicaid or Medicaid Managed Care Payer Type of "4" (Medicaid) or "B" (Medicaid Managed Care) as specified in Data Code Tables (Sections II) and III)) Must be blank if payer source is not a Medicaid plan.	Medicaid Claim Certificate Number This number is also referred to as the Medicaid Recipient Identification Number.	A
8.	Date of Birth	Text	10	72	81	R	Must be present. Must be valid date format (CCYYMMDD). Must not be later than the Registration Date.	Patient date of birth: Birth century, year, month, and day	A

						F	Record Type '20': Patient ED Visit Data	a	
F#	Field Name	Туре	Lgth	Pos Frm		R?	Edit Specifications	Field Definition	Error Type
9.	Sex	Text	1	82	82	R	Must be present. Must be valid code as specified in Data Code Tables (Section IV).	Patient's sex	A
10.	Filler	Text	10	83	92	N			
11.	Registration Date	Text	10	93	102	R	Must be present. Must be valid date format (CCYYMMDD). Must be less than or equal to Discharge Date.	Date of patient's registration in the ED: Century, year, month and day when patient is registered in the ED.	A
12.	Registration Time	Text	4	103	106	R	Must be present. Must be numeric. Must range from 0000 to 2359.	Time of patient's registration in the ED. Time reporting should be in hours and minutes.	A

						F	Record Type '20': Patient ED Visit Dat	a	
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
13.	Discharge Date	Text	10	107	116	С	Must be present unless departure status = 6 (Eloped) or P (Personal Physician). Must be valid date format (CCYYMMDD). Must be greater than or equal to Registration Date.	Date patient leaves the ED: Century, year, month and day when patient actually leaves the ED at the conclusion of their visit	A
14.	Discharge Time	Text	4	117	120	С	Must be present unless departure status = 6 (eloped) or P (Personal Physician). Must be numeric. Must range from 0000 to 2359. Must be greater than the registration time when the discharge date and registration date are equal.	Time patient actually leaves the ED at the conclusion of their visit. Time reporting should be in hours and minutes.	В
15.	Type of Visit	Text	1	121	121	С	Must be present if 'Emergency Severity Index' is not present. If present, must be valid code as specified in Data Code Tables (Section VIII).	Patient's type of visit.	В

						F	Record Type '20': Patient ED Visit Dat	a	
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
16.	Source of Visit	Text	1	122	122	R	Must be present. Must be valid code as specified in Data Code Tables (Section IX).	Originating, referring, or transferring source of ED visit	В
17.	Secondary Source of Visit	Text	1	123	123	С	Include if applicable. Must be valid code as specified in Data Code Tables (Section IX).	Secondary referring or transferring source of ED visit	В
18.	Departure Status	Text	1	124	124	R	Must be present. Must be valid code as specified in Data Code Tables (Section X).	A code indicating patient's status as of the Discharge Date and Time.	A
19.	Primary Source of Payment	Text	3	125	127	R	Must be present. Must be valid code as specified in Data Code Tables (Section III).	Patient's expected primary source of payment	А
20.	Secondary Source of Payment	Text	3	128	130	R	Must be present. Must be valid code as specified in Data Code Tables (Section III). If not applicable, must be coded as "159" for "none" as specified in Data Code Tables (Section III).	Patient's expected secondary source of payment	A

Record Type '20': Patient ED Visit Data												
F#	Field Name	Туре	Lgth		Pos To	R?	Edit Specifications Field Definition	Error Type				
21.	Charges	Curr	10	131	140	С	Must be present unless Departure Status is 6 (Eloped), 4 (AMA) or P (Personal Physician). If present: Must be numeric. Must be greater than 1. Must be whole numbers, no decimals. Must be rounded to the nearest dollar.	D visit. mount should be				

- #	Field Name	Туре	Lgth	Pos Frm		R?	Edit Specifications	Field Definition	Error Type
2.	Other Physician Number	Text	6	141	146	С	Include if applicable. If present, must be a valid and current Massachusetts Board of Registration in Medicine license number, OR Must be "DENSG", "PODTR", "OTHER", "MIDWIF", "NURSEP" or "PHYAST".	Physician's state license number (BORIM #) for physician other than the ED Physician who provided services related to this visit. Report if the physician's involvement in the patient's ED Visit is captured in the hospital's electronic information systems. Physician's Mass. Board of Registration in Medicine license number (BORIM #), or "DENSG", "PODTR", "OTHER", "MIDWIF", "NURSEP" or "PHYAST"for Dental Surgeon, Podiatrist, Other (i.e. non-permanent licensed physicians), Midwife, Nurse Practioner, or Physician's Assistant respectively	В

						F	Record Type '20': Patient ED Visit Date	a	
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
23.	ED Physician Number	Text	6	147	152	С	Must be present, unless Nurse Practitioner is reported in Other Caregiver (Field #24), or unless Departure Status is 6 (Eloped) or P (Personal Physician). If present: Must be a valid and current Mass. Board of Registration in Medicine license Number OR Must be "DENSG", "PODTR", "OTHER", "MIDWIF", "NURSEP" or "PHYAST".	Physician who had primary responsibility for the patient's care in the ED. Mass. Board of Registration in Medicine license number (BORIM #), or "DENSG", "PODTR", "OTHER", or "MIDWIF" for Dental Surgeon, Podiatrist, "MIDWIF", "NURSEP" or "PHYAST" for Dental Surgeon, Podiatrist, Other (i.e. non-permanent licensed physicians), Midwife, Nurse Practioner, or Physician's Assistant respectively.	
24.	Other Caregiver Code	Text	1	153	153	С	Include if applicable. If present, must be valid code as specified in Data Code Tables (Section XI).	Other Caregiver: Other caregiver with significant responsibility for patient's care	В

and analysis

						ŀ	Record Type '20': Patient ED Visit Dat	a	
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
5.	Principal Diagnosis Code	Text	7	154	160	С	Must be present unless Departure Status is 6 (Eloped) or P (Personal Physician). If present: Must be valid ICD code* (exclude decimal point). Must agree with ICD Indicator Must not be an External Cause of Injury Code.	Patient's principal diagnosis: ICD Principal Diagnosis excluding decimal point.	A
6.	ICD Indicator	Text	1	161	161	R	Must be present if Principal Diagnosis Code is present. If present: Report the value that defines whether the diagnoses on claim are ICD9 or ICD10. - 9 for ICD-9-CM - 0 for ICD-10-CM	- International Classification of Diseases version for Diagnosis Codes Report the value that defines whether the diagnoses on claim are ICD9 or ICD10. Only one coding system is allowed per Patient ED Visit.	A
27.	Filler	Text	42	162	203	N			

and analysis

F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
28.	Emergency Severity Index	Text	1	204	204	С	Must be present if 'Type of Visit' is not present. If present, must be valid code. Must range from 1 to 5.	Emergency Severity Index Patient's score on the Emergency Severity Index, as described in "Reliability and Validity of a New Five- level Triage Instrument." Wooers, R. et al. Academic Emergency Medicine 2000; 7:236-242. Must range from 1 to 5.	В
29.	Filler	Text	5	205	209	N			
30.	Procedure Code Type	Text	1	210	210	С	Must be present if Significant Procedure Code(s) are present. Must be "4" or "9" or "0".	Coding System used to report Significant Procedures in this record. 4 = CPT-4, 9 = ICD-9-CM, 0=ICD-10-CM Only one coding system is allowed per Patient ED Visit.	
31.	Transport	Text	1	211	211	R	Must be present. Must be valid code as specified in Data Code Tables (Section XII).	Patient's Mode of Transport to the ED	A
32.	Ambulance Run Sheet Number	Text	8	212	219	С	May be present if patient arrived by ambulance. Further edits To Be Determined.	EMS (Ambulance) Run Sheet Number	W

						F	Record Type '20': Patient ED Visit Dat	a	
F#	Field Name	Туре	Lgth		Pos To	R?	Edit Specifications	Field Definition	Error Type
33.	Homeless Indicator	Text	1	220	220	С	Include if applicable. Must be valid code as specified in Data Code Tables (Section XIII).	Indicates whether patient is known to be homeless.	В
34	Condition Present on Visit Principal Diagnosis Code	Text	1	221	221	R	-Must be present -Must be valid code as specified in Data Code Tables (Section XIV).	A qualifier for each diagnosis code indicating the onset of diagnosis preceded or followed admission.	В
35	Filler	Text	5	222	226	N			
36	Condition Present on Visit – Principal External Cause of Injury Codes	Text	1	227	227	R	-Must be present when Principal External Cause of Injury Codes is present -Must be valid code as specified in Data Code Tables (Section XIV).	A qualifier for each diagnosis code indicating the onset of diagnosis preceded or followed admission.	В

F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
37	Massachusetts Transfer Hospital Organization ID	Text	7	228	234	С	Must be valid OrgID if Primary or Secondary Source of Visit is 4-Transfe from an Acute Hospital, 7-Outside Hospital Emergency Room Transfer, or 5- Transfer from an SNF Facility and the provider from which the transfer occurred is in Massachusetts. If provider from which the transfer occurred is outside Massachusetts, the transfer OrgID must be 9999999.		В
							- Must be valid Organization Id as assigned by the Center for Health Information and Analysis as specified in Data Code Tables (Section I) if the provider from which the transfer occurred is in Massachusetts.— Or 9999999 if facility was outside Massachusetts.		

and analysis

F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
38.	Principal External Cause of Injury Codes	Text	7	235	241	С	Must be present if principal diagnosis is ICD-9-CM codes 800-904.9 or 910-999.9 or ICD-10-CM codes S00-T88. If present, must be a valid ICD-9-CM Ecode (E800-E999) excluding E849.0-E849.9 or ICD-10-CM V-code and/or W-code, X-code, or Y-code(V00-Y99). Must agree with ICD Indicator. Principal External Cause of Injury Codes shall be recorded in designated field and not be present in Associated Diagnosis Codes. Associated External Cause of Injury Codess, present in the Associated Diagnosis fields, shall only be permitted when a Principal External Cause of Injury Codes is entered.	Principal External Cause of Injury Codes (External Cause of Injury Code) Principal ICD-9-CM External Cause of Injury Codes (E800-E999) excluding E849.0-E849.9 or ICD-10-CM V-code and/or W-code, X-code, or Y-code(V00-Y99). E849.0-E849.9 may be used as an associated E-code and reported in any of the Associated Diagnosis fields.	
39	Filler	Text	9	242	250	N			

^{• * =} All ICD should be reported as the exact code excluding the decimal point. Zeros contained in the code should be reported. For example, the code '001.0' should be reported as '0010'.

RECORD TYPE 21 – PATIENT REASON FOR VISIT

- Required for every ED Visit.
- Only one allowed per ED Visit.
- Must follow RT 20.
- Must be followed by RT 25.

						Re	cord Type '21': Patient Reason for Vis	sit	
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
1.	Record type '21'	Text	2	1	2	R	Must be present. Must be 21.	Indicator for Record Type '21': Patient Reason for Visit	A
2	Medical Record Number	Text	10	3	12	R	Must be present. Must be the same as the Medical Record Number in the preceding RT 20 Field 4.	Patient's hospital Medical Record Number	A
3.	Stated Reason for Visit	Text	150	13	162	R	Must be present. Must be narrative text.	Patient's stated Reason for Visit or Chief Complaint Text narrative describing patient's stated reason for visit.	
4.	Filler	Text	88	163	250	N			

RECORD TYPE 25 – PATIENT ADDRESS AND ETHNICITY

- Required for every ED Visit.
- Only one allowed per ED Visit.
- Must follow RT 21.
- Must be followed by RT 60.

	Record Type '25': Patient Address and Ethnicity											
F#	Field Name	Туре	Lgth	Pos Frm		R?	Edit Specifications	Field Definition	Error Type			
1.	Record type '25'	Text	2	1	2	R	Must be present. Must be 25.	Indicator for Record Type '25': Patient Address	A			
2	Medical Record Number	Text	10	3	12	R	Must be present. Must be the same as the Medical Record Number in the preceding RT 20 Field 4.	Patient's hospital Medical Record Number	A			
3.	Permanent Patient Street Address	Text	30	13	42	С	Must be present when Patient Country is 'US' unless Homeless Indicator is 'Y'	Patient's residential address including number, street name, and type (i.e. street, drive, road)	В			
4.	Permanent Patient City/Town	Text	25	43	67	С	-Must be present when Patient Country is 'US'	Patient's residential city or town	В			

					Re	cor	d Type '25': Patient Address and Eth	nicity	
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
5.	Permanent Patient State	Text	2	68	69	С	-Must be present when Patient Country is 'US' -Must be valid U.S. postal code for state	The US Postal Service code for the state the where the patient resides.	В
6.	Zip Code	Text	5	70	74	R	Must be present. Must be numeric. Must be 0's if zip code is unknown or Patient Country is not 'US'.	Patient's residential 5-digit zip code. If patient is homeless please report zip as 00000, and indicate homeless status in the Homeless Indicator field on this record.	В
7.	Zip Code Extension	Text	4	75	78	N	May be present. If present, must be numeric. If unknown, leave blank.	Patient's residential 4 digit zip code extension	В
8.	Patient Country	Text	2	79	80	R	-Must be present -Must be a valid International Standards Organization (ISO - 3166) 2-digit country code	The International Standards Organization (ISO-3166) code for the country where the patient resides. This is their permanent country of residence. This is required for all patients.	В

					Recor	d Type '25': Patient Address and Eth	nicity	
F#	Field Name	Туре	Lgth	Pos Frm	Pos R? To	Edit Specifications	Field Definition	Error Type
9.	Temporary Patient Street Address	Text	30	81	110 C	Must be present when Patient Country is not 'US'	The temporary United States street address including number, street name, and type (i.e. street, drive, road) where the patient resides while under treatment. This is required for patient's whose permanent country of residence is outside the United States. It may be used for patients whose permanent residence is outside the state of Massachusetts but are residing at a temporary address while receiving treatment.	В
10.	Temporary Patient City/Town	Text	25	111	135 C	-Must be present when Patient Country is not 'US'	The temporary United States city/town where the patient resides while under treatment. This is required for patient's whose permanent country of residence is outside the United States. It may be used for patients whose permanent residence is outside the state of Massachusetts but are residing at a temporary address while receiving treatment.	В

					Re	ecor	d Type '25': Patient Address and Ethi	nicity	
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
11.	Temporary Patient State	Text	2	136	137	С	-Must be present when Patient Country is not 'US' -Must be valid U.S. postal zip code for state	The US Postal Service code for the state of the temporary address where the patient resides while under treatment. This is required for patient's whose permanent country of residence is outside the United States. It may be used for patients whose permanent residence is outside the state of Massachusetts but are residing at a temporary address while receiving treatment.	В
12.	Temporary Patient Zip Code	Text	9	138	146	С	-Must be present when Patient Country is not 'US' -Must be valid U.S. postal zip code	The US Postal Service zip code for the temporary address where the patient resides while under treatment. This is required for patient's whose permanent country of residence is outside the United States. It may be used for patients whose permanent residence is outside the state of Massachusetts but are residing at a temporary address while receiving treatment.	В
13.	Race 1	Text	6	147	152	R	Must be present Must be valid code as specified in Data Code Tables (Section V).	Patient's race	В

					Re	ecor	d Type '25': Patient Address and Ethi	nicity	
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
14.	Race 2	Text	6	153	158	С	May only be entered if Race 1 is entered.	Patient's race	В
							Must be valid code as specified in Data Code Tables (Section V).		
15.	Other Race	Text	15	159	173	С	May only be entered if Race 1 is entered.	Patient's race	В
							Must be entered if Race 1 is R9 – Other Race.		
16.	Hispanic	Text	1	174	174	R	Must be present	Indicates whether the patient is	В
	Indicator						Must be valid code as specified in Data Code Tables (Section VI).	Hispanic/Latino/Spanish	
17	Ethnicity 1	Text	6	175	180	R	Must be present	Patient's Ethnicity	В
							Must be valid code as specified in Data Code Tables (Section VII).		
18	Ethnicity 2	Text	6	181	186	С	May only be entered if Ethnicity 1 is entered.	Patient's Ethnicity	В
							Must be valid code as specified in Data Code Tables (Section VII).		
19	Other Ethnicity	Text	6	187	192	С	May only be entered if Ethnicity 1 is entered.	Patient's Ethnicity	В
20.	Filler	Text	58	193	250	N			

RECORD TYPE 50 – PATIENT DIAGNOSIS DATA

- At least one 50 record is required for every ED Visit.
- Unlimited number of 50 records allowed per ED Visit, each one containing up to 15 diagnosis codes and present on admission indicators.
- Must follow RT 25 or RT 50.
- Must be followed by RT 50 or 55.

						R	ecord Type '50': Patient Diagnosis Da	ata	
F#	Field Name	Туре	Lgth		Pos To	R?	Edit Specifications	Field Definition	Error Type
1.	Record type '50'	Text	2	1	2	R	Must be present. Must be 50.	Indicator for Record Type '50': Patient Diagnosis Data	A
2.	Sequence	Num	2	3	4	R	 Must be numeric If first record following Record Type '25' sequence must ='01' For each subsequent occurrence of Record Type '50' sequence must be Incremented by one. 	Count for number of Record Type '50' iterations	A

						R	ecord Type '50': Patient Diagnosis Da	ta	
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
3.	Medical Record Number	Text	10	5	14	R	Must be present. Must be the same as the Medical Record Number in the preceding RT 20 Field 4.	Patient's hospital Medical Record Number	A
4.	Associated Diagnosis Code 1	Text	7	15	21	С	Include if applicable. If present, Principal Diagnosis Code must be present. Must be valid ICD code* (exclude decimal point). Must agree with ICD Indicator. Associated External Cause of Injury Codess may be reported in the Associated Diagnosis fields only if the principal External Cause of Injury code is present in the Principal External Cause of Injury code field.	Patient's first associated diagnosis: ICD Associated Diagnosis 1, excluding the decimal point.	A

	Record Type '50': Patient Diagnosis Data												
- #	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type				
	Associated Diagnosis Code 2	Text	7	22	28	С	Include if applicable. If present Associated Diagnosis Code 1 must be present. Must be valid ICD code* (exclude decimal point). Must agree with ICD Indicator. Associated External Cause of Injury codes may be reported in the Associated Diagnosis fields only if the principal External Cause of Injury Codes is present in the Principal External Cause of Injury Codes field.	Patient's second associated diagnosis: ICD Associated Diagnosis 2, excluding the decimal point.	A				

	Record Type '50': Patient Diagnosis Data											
F#	Field Name	Туре	Lgth		Pos To	R?	Edit Specifications	Field Definition	Error Type			
6.	Associated Diagnosis Code 3	Text	7	29	35	С	Include if applicable. If present, Associated Diagnosis Code 2 must be present. Must be valid ICD code* (exclude decimal point). Must agree with ICD Indicator. Associated External Cause of Injury Codess may be reported in the Associated Diagnosis fields only if the principal External Cause of Injury Codes is present in the Principal External Cause of Injury Codes field.	Patient's third associated diagnosis: ICD Associated Diagnosis 3, excluding the decimal point.	A			

Record Type '50': Patient Diagnosis Data											
F#	Field Name	Туре	Lgth	Pos	Pos	R?	Edit Specifications	Field Definition	Error		
				Frm	То				Туре		
7.	Associated	Text	7	36	42	С	Include if applicable.	Patient's fourth associated diagnosis:	Α		
	Diagnosis Code						If present, Associated Diagnosis Code	ICD Associated Diagnosis 4, excluding			
	4						3 must be present.	the decimal point.			
							Must be valid ICD code* (exclude				
							decimal point).				
							Must agree with ICD Indicator.				
							Associated External Cause of Injury				
							Codess may be reported in the				
							Associated Diagnosis fields only if the				
							principal External Cause of Injury				
							Codes is present in the Principal				
							External Cause of Injury Codes field.				

Record Type '50': Patient Diagnosis Data											
- #	Field Name	Туре	Lgth	Pos	Pos	R?	Edit Specifications	Field Definition	Error		
				Frm	То				Type		
	Associated	Text	7	43	49	С	Include if applicable.	Patient's fifth associated diagnosis:	Α		
	Diagnosis Code						If present, Associated Diagnosis Code	ICD Associated Diagnosis 5, excluding			
	5						4 must be present.	the decimal point.			
							Must be valid ICD code* (exclude				
							decimal point).				
							Must agree with ICD Indicator.				
							Associated External Cause of Injury				
							Codess may be reported in the				
							Associated Diagnosis fields only if the				
							principal External Cause of Injury				
							Codes is present in the Principal				
							External Cause of Injury Codes field.				

						R	ecord Type '50': Patient Diagnosis Da	ata	
F#	Field Name	Туре	Lgth	Pos	Pos	R?	Edit Specifications	Field Definition	Error
				Frm	То				Туре
)	Associated	Text	7	50	56	С	Include if applicable.	Patient's fsixth associated diagnosis:	Α
	Diagnosis Code						If present, Associated Diagnosis Code	ICD Associated Diagnosis 6, excluding	
	6						5 must be present.	the decimal point.	
							Must be valid ICD code* (exclude		
							decimal point).		
							Must agree with ICD Indicator.		
							Associated External Cause of Injury		
							Codess may be reported in the		
							Associated Diagnosis fields only if the		
							principal External Cause of Injury		
							Codes is present in the Principal		
							External Cause of Injury Codes field.		

						R	ecord Type '50': Patient Diagnosis Da	ata	
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
0.	Associated Diagnosis Code 7	Text	7	57	63	С	Include if applicable. If present, Associated Diagnosis Code 6 must be present. Must be valid ICD code* (exclude decimal point). Must agree with ICD Indicator. Associated External Cause of Injury Codess may be reported in the Associated Diagnosis fields only if the principal External Cause of Injury Codes is present in the Principal External Cause of Injury Codes field.	Patient's seventh associated diagnosis: ICD Associated Diagnosis 7, excluding the decimal point.	A

						R	ecord Type '50': Patient Diagnosis Da	ata	
F#	Field Name	Туре	Lgth		Pos To	R?	Edit Specifications	Field Definition	Error Type
1.	Associated Diagnosis Code 8	Text	7	64	70	С	Include if applicable. If present, Associated Diagnosis Code 7 must be present. Must be valid ICD code* (exclude decimal point). Must agree with ICD Indicator. Associated External Cause of Injury Codess may be reported in the Associated Diagnosis fields only if the principal External Cause of Injury Codes is present in the Principal External Cause of Injury Codes field.	Patient's eighth associated diagnosis: ICD Associated Diagnosis 8, excluding the decimal point.	A

						R	ecord Type '50': Patient Diagnosis Da	ata	
F#	Field Name	Туре	Lgth	Pos Frm		R?	Edit Specifications	Field Definition	Error Type
12.	Associated	Text	7	71	77	С	Include if applicable	Patient's ninth associated diagnosis:	
12.	Diagnosis Code 9	rext		71			Include if applicable. If present, Associated Diagnosis Code 9 must be present. Must be valid ICD code* (exclude decimal point). Must agree with ICD Indicator. Associated External Cause of Injury Codess may be reported in the Associated Diagnosis fields only if the principal External Cause of Injury Codes is present in the Principal External Cause of Injury Codes field.	Patient's ninth associated diagnosis: ICD Associated Diagnosis 9, excluding the decimal point.	A

						R	ecord Type '50': Patient Diagnosis Da	ata	
F#	Field Name	Туре	Lgth	Pos Frm		R?	Edit Specifications	Field Definition	Error Type
13.	Associated Diagnosis Code 10	Text	7	78	84	С	Include if applicable. If present, Associated Diagnosis Code 9 must be present. Must be valid ICD code* (exclude decimal point). Must agree with ICD Indicator. Associated External Cause of Injury Codess may be reported in the Associated Diagnosis fields only if the principal External Cause of Injury Codes is present in the Principal External Cause of Injury Codes field.	Patient's tenth associated diagnosis: ICD Associated Diagnosis 10, excluding the decimal point.	A

						R	ecord Type '50': Patient Diagnosis Da	ata	
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
4.	Associated Diagnosis Code 11	Text	7	85	91	С	Include if applicable. If present, Associated Diagnosis Code 10 must be present. Must be valid ICD code* (exclude decimal point). Must agree with ICD Indicator. Associated External Cause of Injury Codess may be reported in the Associated Diagnosis fields only if the principal External Cause of Injury Codes is present in the Principal External Cause of Injury Codes field.	Patient's eleventh associated diagnosis: ICD Associated Diagnosis 11, excluding the decimal point.	

						R	ecord Type '50': Patient Diagnosis Da	ata	
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
5.	Associated Diagnosis Code 12	Text	7	92	98	С	Include if applicable. If present, Associated Diagnosis Code 11 must be present. Must be valid ICD code* (exclude decimal point). Must agree with ICD Indicator. Associated External Cause of Injury Codess may be reported in the Associated Diagnosis fields only if the principal External Cause of Injury Codes is present in the Principal External Cause of Injury Codes field.	Patient's twelfth associated diagnosis: ICD Associated Diagnosis 12, excluding the decimal point.	A

						R	ecord Type '50': Patient Diagnosis Da	ita	
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
16.	Associated Diagnosis Code 13	Text	7	99	105	С	Include if applicable. If present, Associated Diagnosis Code 12 must be present. Must be valid ICD code* (exclude decimal point). Must agree with ICD Indicator. Associated External Cause of Injury Codess may be reported in the Associated Diagnosis fields only if the principal External Cause of Injury Codes is present in the Principal External Cause of Injury Codes field.	Patient's thirteenth associated diagnosis: ICD Associated Diagnosis 13, excluding the decimal point.	A

						R	ecord Type '50': Patient Diagnosis Da	ata	
F#	Field Name	Туре	Lgth	Pos	Pos	R?	Edit Specifications	Field Definition	Error
				Frm	То				Туре
17.	Associated	Text	7	106	112	С	Include if applicable.	Patient's fourteenth associated	Α
	Diagnosis Code						If present, Associated Diagnosis Code	diagnosis:	
	14						13 must be present.	ICD Associated Diagnosis 14, excluding	
							Must be valid ICD code* (exclude	the decimal point.	
							decimal point).		
							Must agree with ICD Indicator.		
							Associated External Cause of Injury		
							Codess may be reported in the		
							Associated Diagnosis fields only if the		
							principal External Cause of Injury		
							Codes is present in the Principal		
							External Cause of Injury Codes field.		

						R	ecord Type '50': Patient Diagnosis Da	ta	
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
18.	Associated Diagnosis Code 15	Text	7	113	119	С	Include if applicable. If present, Associated Diagnosis Code 14 must be present.	Patient's fifteenth associated diagnosis: ICD Associated Diagnosis 15, excluding the decimal point.	A
							Must be valid ICD code* (exclude decimal point).	and doomed point.	
							Must agree with ICD Indicator.		
							Associated External Cause of Injury Codess may be reported in the Associated Diagnosis fields only if the principal External Cause of Injury Codes is present in the Principal External Cause of Injury Codes field.		
19	Condition Present on Visit – Assoc. Diagnosis Code	Text	1	120	120	R	-Must be present when Assoc. Diagnosis Code I is present -Must be valid code as specified in Data Code Tables (Section XIV).	A qualifier for each diagnosis code indicating the onset of diagnosis preceded or followed admission.	В
20	Condition Present on Visit – Assoc. Diagnosis Code	Text	1	121	121	R	-Must be present when Assoc. Diagnosis Code II is present -Must be valid code as specified in Data Code Tables (Section XIV).	A qualifier for each diagnosis code indicating the onset of diagnosis preceded or followed admission.	В

						R	ecord Type '50': Patient Diagnosis Da	ta	
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
21	Condition Present on Visit – Assoc. Diagnosis Code		1	122	122	R	-Must be present when Assoc. Diagnosis Code III is present -Must be valid code as specified in Data Code Tables (Section XIV).	A qualifier for each diagnosis code indicating the onset of diagnosis preceded or followed admission.	В
22	Condition Present on Visit – Assoc. Diagnosis Code IV		1	123	123	R	-Must be present when Assoc. Diagnosis Code IV is present -Must be valid code as specified in Data Code Tables (Section XIV).	A qualifier for each diagnosis code indicating the onset of diagnosis preceded or followed admission.	В
23	Condition Present on Visit – Assoc. Diagnosis Code V		1	124	124	R	-Must be present when Assoc. Diagnosis Code V is present -Must be valid code as specified in Data Code Tables (Section XIV).	A qualifier for each diagnosis code indicating the onset of diagnosis preceded or followed admission.	В
24	Condition Present on Visit – Assoc. Diagnosis Code VI	Text	1	125	125	R	-Must be present when Assoc. Diagnosis Code VI is present -Must be valid code as specified in Data Code Tables (Section XIV).	A qualifier for each diagnosis code indicating the onset of diagnosis preceded or followed admission.	В

						Re	ecord Type '50': Patient Diagnosis Da	ta	
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
25	Condition Present on Visit – Assoc. Diagnosis Code VII	Text	1	126	126	R	-Must be present when Assoc. Diagnosis Code VII is present -Must be valid code as specified in Data Code Tables (Section XIV).	A qualifier for each diagnosis code indicating the onset of diagnosis preceded or followed admission.	В
26	Condition Present on Visit – Assoc. Diagnosis Code VIII		1	127	127	R	-Must be present when Assoc. Diagnosis Code VIII is present -Must be valid code as specified in Data Code Tables (Section XIV).	A qualifier for each diagnosis code indicating the onset of diagnosis preceded or followed admission.	В
27	Condition Present on Visit – Assoc. Diagnosis Code IX		1	128	128	R	-Must be present when Assoc. Diagnosis Code IX is present -Must be valid code as specified in Data Code Tables (Section XIV).	A qualifier for each diagnosis code indicating the onset of diagnosis preceded or followed admission.	В
28	Condition Present on Visit – Assoc. Diagnosis Code X	Text	1	129	129	R	-Must be present when Assoc. Diagnosis Code X is present -Must be valid code as specified in Data Code Tables (Section XIV).	A qualifier for each diagnosis code indicating the onset of diagnosis preceded or followed admission.	В

						R	ecord Type '50': Patient Diagnosis Da	ta	
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
29	Condition Present on Visit - Assoc. Diagnosis Code XI	Text	1	130	130	R	-Must be present when Assoc. Diagnosis Code XI is present -Must be valid code as specified in Data Code Tables (Section XIV).	A qualifier for each diagnosis code indicating the onset of diagnosis preceded or followed admission.	В
30	Condition Present on Visit – Assoc. Diagnosis Code XII		1	131	131	R	-Must be present when Assoc. Diagnosis Code XII is present -Must be valid code as specified in Data Code Tables (Section XIV).	A qualifier for each diagnosis code indicating the onset of diagnosis preceded or followed admission.	В
31	Condition Present on Visit - Assoc. Diagnosis Code XIII		1	132	132	R	-Must be present when Assoc. Diagnosis Code XIII is present -Must be valid code as specified in Data Code Tables (Section XIV).	A qualifier for each diagnosis code indicating the onset of diagnosis preceded or followed admission.	В
32	Condition Present on Visit - Assoc. Diagnosis Code XIV	Text	1	133	133	R	-Must be present when Assoc. Diagnosis Code XIV is present -Must be valid code as specified in Data Code Tables (Section XIV).	A qualifier for each diagnosis code indicating the onset of diagnosis preceded or followed admission.	В

F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
33	Condition Present on Visit – Assoc. Diagnosis Code XV		1	134	134	R	-Must be present when Assoc. Diagnosis Code XV is present -Must be valid code as specified in Data Code Tables (Section XIV).	A qualifier for each diagnosis code indicating the onset of diagnosis preceded or followed admission.	В
34	Filler	Text	116	135	250	N			

RECORD TYPE 55 – PATIENT PROCEDURE DATA

- At least one 55 record is required for every ED Visit.
- Unlimited number of 55 records allowed per ED Visit, each one containing up to 15 ICD procedure codes.
- Must follow RT 50 or RT 55.
- Must be followed by RT 55 or 60.

Record Type '55': Patient ED Procedure Data												
F#	Field Name	Туре	Lgth		Pos To	R?	Edit Specifications	Field Definition	Error Type			
1.	Record type '55'	Text	2	1	2	R	Must be present. Must be 55.	Indicator for Record Type '55': Patient ED Procedure Data	A			
2	Sequence	Num	2	3	4	R	 - Must be numeric - If first record following Record Type '50' sequence must ='01' - For each subsequent occurrence of Record Type '55' sequence must be Incremented by one. 	Count for number of Record Type '55' iterations	A			
3	Medical Record Number	Text	10	5	14	R	Must be present. Must be the same as the Medical Record Number in the preceding RT 20 Field 4.	Patient's hospital Medical Record Number	A			

						Rec	ord Type '55': Patient ED Procedure [Data	
F#	Field Name	Туре	Lgth		Pos To	R?	Edit Specifications	Field Definition	Error Type
4.	Significant Procedure Code 1	Text	7	15	21	С	Include if applicable. If present must be valid ICD code* (exclude decimal point) or valid CPT code (as reported in FL 74 of the UB- 04) Must be consistent with Procedure Code Type.	Patient's significant procedure, as reported in FL 74 of the UB-04. ICD code (exclude decimal point) or CPT code, as indicated in the Procedure Code Type field in this record.	А
5.	Significant Procedure Code 2	Text	7	22	28	С	Include if applicable. If present, Significant Procedure Code 1 must be present. If entered, must be a valid ICD code* (exclude decimal point) or valid CPT code (as reported in FL 74 of the UB- 04) Must be consistent with Procedure Code Type.	Patient's additional significant procedure, as reported in FL 74 of the UB-04. ICD-9-CM code (exclude decimal point) or CPT code, as indicated in the Procedure Code Type field in this record.	A

						Rec	ord Type '55': Patient ED Procedure	Data	
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
6.	Significant Procedure Code 3	Text	7	29	35	С	Include if applicable. If present, Significant Procedure Code 2 must be present.	Patient's additional significant procedure, as reported in FL 74 of the UB-04.	A
							If entered, must be a valid ICD-9-CM code* (exclude decimal point) or valid CPT code (as reported in FL 74 of the UB-04)	ICD code (exclude decimal point) or CPT code, as indicated in the Procedure Code Type field in this record.	
							Must be consistent with Procedure Code Type.		
7.	Significant Procedure Code 4	Text	7	36	42	С	Include if applicable. If present, Significant Procedure Code 3 must be present.	Patient's additional significant procedure, as reported in FL 74 of the UB-04.	A
							If entered, must be a valid ICD code* (exclude decimal point) or valid CPT code (as reported in FL 74 of the UB-04).	ICD code (exclude decimal point) or CPT code, as indicated in the Procedure Code Type field in this record.	
							Must be consistent with Procedure Code Type.		

Record Type '55': Patient ED Procedure Data											
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type		
8.	Significant Procedure Code 5	Text	7	43	49	С	Include if applicable. If present, Significant Procedure Code 4 must be present.	Patient's additional significant procedure, as reported in FL 74 of the UB-04.	A		
							If entered, must be a valid ICD code* (exclude decimal point) or valid CPT code (as reported in FL 74 of the UB-04).	ICD code (exclude decimal point) or CPT code, as indicated in the Procedure Code Type field in this record.			
							Must be consistent with Procedure Code Type.				
9.	Significant Procedure Code 6	Text	7	50	56	С	Include if applicable. If present, Significant Procedure Code 5 must be present.	Patient's additional significant procedure, as reported in FL 74 of the UB-04.	A		
							If entered, must be a valid ICD code* (exclude decimal point) or valid CPT code (as reported in FL 74 of the UB-04).	ICD code (exclude decimal point) or CPT code, as indicated in the Procedure Code Type field in this record.			
							Must be consistent with Procedure Code Type.				

Record Type '55': Patient ED Procedure Data											
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type		
10.	Significant Procedure Code 7	Text	7	57	63	С	Include if applicable. If present, Significant Procedure Code 6 must be present.	Patient's additional significant procedure, as reported in FL 74 of the UB-04.	A		
							If entered, must be a valid ICD code* (exclude decimal point) or valid CPT code (as reported in FL 74 of the UB-04).	ICD code (exclude decimal point) or CPT code, as indicated in the Procedure Code Type field in this record.			
							Must be consistent with Procedure Code Type.				
11.	Significant Procedure Code 8	Text	7	64	70	С	Include if applicable. If present, Significant Procedure Code 7 must be present.	Patient's additional significant procedure, as reported in FL 74 of the UB-04.	A		
							If entered, must be a valid ICD code* (exclude decimal point) or valid CPT code (as reported in FL 74 of the UB-04).	ICD code (exclude decimal point) or CPT code, as indicated in the Procedure Code Type field in this record.			
							Must be consistent with Procedure Code Type.				

Record Type '55': Patient ED Procedure Data											
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type		
12.	Significant Procedure Code 9	Text	7	71	77	С	Include if applicable. If present, Significant Procedure Code 8 must be present.	Patient's additional significant procedure, as reported in FL 74 of the UB-04.	A		
							If entered, must be a valid ICD code* (exclude decimal point) or valid CPT code (as reported in FL 74 of the UB-04).	ICD code (exclude decimal point) or CPT code, as indicated in the Procedure Code Type field in this record.			
							Must be consistent with Procedure Code Type.				
13.	Significant Procedure Code 10	Text	7	78	84	С	Include if applicable. If present, Significant Procedure Code 9 must be present.	Patient's additional significant procedure, as reported in FL 74 of the UB-04.	A		
							If entered, must be a valid ICD code* (exclude decimal point) or valid CPT code (as reported in FL 74 of the UB-04).	ICD code (exclude decimal point) or CPT code, as indicated in the Procedure Code Type field in this record.			
							Must be consistent with Procedure Code Type.				

Record Type '55': Patient ED Procedure Data											
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type		
14.	Significant Procedure Code 11	Text	7	85	91	С	Include if applicable. If present, Significant Procedure Code 10 must be present.	Patient's additional significant procedure, as reported in FL 74 of the UB-04.	A		
							If entered, must be a valid ICD code* (exclude decimal point) or valid CPT code (as reported in FL 74 of the UB-04).	ICD code (exclude decimal point) or CPT code, as indicated in the Procedure Code Type field in this record.			
							Must be consistent with Procedure Code Type.				
15.	Significant Procedure Code 12	Text	7	92	98	С	Include if applicable. If present, Significant Procedure Code 11 must be present.	Patient's additional significant procedure, as reported in FL 74 of the UB-04.	A		
							If entered, must be a valid ICD code* (exclude decimal point) or valid CPT code (as reported in FL 74 of the UB-04).	ICD code (exclude decimal point) or CPT code, as indicated in the Procedure Code Type field in this record.			
							Must be consistent with Procedure Code Type.				

Record Type '55': Patient ED Procedure Data											
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type		
16.	Significant Procedure Code 13	Text	7	99	105	С	Include if applicable. If present, Significant Procedure Code 12 must be present.	Patient's additional significant procedure, as reported in FL 74 of the UB-04.	A		
							If entered, must be a valid ICD code* (exclude decimal point) or valid CPT code (as reported in FL 74 of the UB-04).	ICD code (exclude decimal point) or CPT code, as indicated in the Procedure Code Type field in this record.			
							Must be consistent with Procedure Code Type.				
17.	Significant Procedure Code 14	Text	7	106	112	С	Include if applicable. If present, Significant Procedure Code 13 must be present.	Patient's additional significant procedure, as reported in FL 74 of the UB-04.	A		
							If entered, must be a valid ICD code* (exclude decimal point) or valid CPT code (as reported in FL 74 of the UB-04).	ICD code (exclude decimal point) or CPT code, as indicated in the Procedure Code Type field in this record.			
							Must be consistent with Procedure Code Type.				

Record Type '55': Patient ED Procedure Data												
F#	Field Name	Туре	Lgth		Pos To	R?	Edit Specifications	Field Definition	Error Type			
18.	Significant Procedure Code 15	Text	7	113	119		Include if applicable. If present, Significant Procedure Code 14 must be present. If entered, must be a valid ICD code* (exclude decimal point) or valid CPT code (as reported in FL 74 of the UB-04). Must be consistent with Procedure Code Type.	Patient's additional significant procedure, as reported in FL 74 of the UB-04. ICD code (exclude decimal point) or CPT code, as indicated in the Procedure Code Type field in this record.	A			
19	Filler	Text	131	120	250	N						

RECORD TYPE 60 – PATIENT ED VISIT SERVICE LINE ITEMS

- At least one 60 record is required for every ED Visit.
- Unlimited number of 60 records allowed per ED Visit, each one containing up to 30 service line items.
- Must follow RT 55 or RT 60.
- Must be followed by RT 20, 60 or 94.

Record Type '60': Patient ED Visit Service Line Items													
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type				
-	Record type '60'	Text	2	1	2	R	Must be present. Must be 60.	Indicator for Record Type '60': Patient ED Visit Service Line Items	A				
	Medical Record Number	Text	10	3	12	R	Must be present. Must be the same as the Medical Record Number in the preceding RT 20 Field 4.	Patient's hospital Medical Record Number	A				

					Reco	ord ⁻	Гуре '60': Patient ED Visit Service Lin	e Items	
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
3.	Service Line Item 1	Text	5	13	17	С	At least one Service Line Item must be present, unless Departure Status is 6 (Eloped), 4 (AMA) or P (Personal Physician). If present: Must be valid CPT or HCPCS code (as reported in FL 44 of the UB-04), OR, for drugs billed for which no HCPCS code is reported, use DRUGS, OR, for supplies billed for which no HCPCS code is reported, use SPPLY. Additional Service Line Items for the same ED Visit should be included in subsequent Service Line Item Elements in this record.	Patient's Service provided (line item detail): valid CPT or HCPCS code, as reported in FL 44 of the UB-04 claim. The '60' Service Line Item record type should be repeated in this ED Visit record to include all CPT/HCPCS codes for this ED Visit.	В
4.	End of Line Items Indicator	Text	1	18	18	С	Must be present following the last Service Line Item. Must be 'Y" if this is the last Service Line Item for the ED Visit, otherwise leave blank.	Enter 'Y' to indicate the end of the list of Service Line Items for the current ED Visit, and the end of the patient record.	A

	Record Type '60': Patient ED Visit Service Line Items										
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type		
· ·	Group Element:	Text	174	19	192	С	Include if applicable.	Repeat fields 3 and 4 for a total of 30			
	Service Line Items 2-30		If present, the previous Service Line litem Eleme record.	Service Line Item Elements in each 60 record.							
							The last Service Line Item Element for the ED Visit must include a 'Y' in the End of Line Items Indicator.	Additional Service Line Items for the same ED Visit.			
6	Filler	Text	58	193	250						

RECORD TYPE 94 – HOSPITAL SERVICE SITE SUMMARY

- Required for every Batch.
- Unlimited number of 94 records, each one containing up to 4 Service Site Summaries.
- Must be preceded by RT 60 or RT 94.
- May be followed by RT 94 or RT 95.

					Re	cor	d Type '94': Hospital Service Site Sum	nmary	
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
1	Record Type '94'	Text	2	1	2	R	Must be present. Must be 94.	Indicator for Record Type '94': Hospital Service Site Summary	A
2	Hospital Service Site Reference	Text	7	3	9	R	Must be present. Must be valid code as specified in Data Code Tables (Section I) At least one Service Site Summary (Group Element) must be present (fields 2 through 10).	CHIA designated organization number for each provider site.	A

					Re	core	d Type '94': Hospital Service	Site Summary	
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
3	Number of ED Treatment Beds	Num	4	10	13	R	Must be present. Must be numeric.	Number of ED Beds on last day of the reporting period.	A
	at Site					bays or beds, as approved by t Department of Public Health. D count temporary use of gurneys	Number of permanent ED treatment bays or beds, as approved by the Department of Public Health. Do not count temporary use of gurneys, stretchers, etc., nor beds in ED-based observation units.		
	Number of ED- based Observation Beds at Site	Num	4	14	17	R	Must be present. Must be numeric.	Number of Observation Beds on last day of the reporting period. Number of permanent beds or treatment bays in ED-based observation unit, if any.	A
	Total Number of ED-based Beds at Site	Num	4	18	21	R	Must be present. Must be numeric.	Combined total number of ED beds and ED-based observation beds. Total number of ED beds and ED-based observation beds, combined.	A
5	ED Visits – Admitted to Inpatient at Site	Num	7	22	28	R	Must be present. Must be numeric.	Total number of registered ED Visits occurring during the reporting period that resulted in inpatient admission (whether preceded by observation stay or not).	A

					Re	cord	d Type '94': Hospital Service Site Sum	nmary	
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type
7	ED Visits – Admitted to Outpatient Observation at Site	Num	7	29	35	R	Must be present. Must be numeric.	Total number of registered ED Visits occurring during the reporting period that resulted in admission to outpatient observation, but not inpatient admission.	A
8	ED Visits - All Other Outpatient ED Visits at Site	Num	7	36	42	R	Must be present. Must be numeric.	Total number of registered ED Visits occurring during the reporting period that had a disposition other than admission to outpatient observation and/or inpatient care.	
9	ED Visits – Total Registered at Site	Num	7	43	49	R	Must be present. Must be numeric.	Total number of all registered ED Visits occurring during the reporting period, regardless of disposition.	A
10	End of Record Indicator	Text	1	50	50	С	Must be present if this is the last Site Summary Group Element for the Hospital Service Site Summary record. Must be a 'Y'.	Denotes end of list in Hospital Service Site Summary record.	A
11	Group Element: Site Summaries 2-4		144	51	194	С	One Service Site Summary (Group Element) must be present for each Site reported in the Provider Submission. Last Site Summary Group Element must include a 'Y' in the End of Record Indicator.	Repeat fields 2 -10 for a total of 4 Site Summary Elements in the 94 record. Additional Site Summary data for the same Provider Submission.	

	Record Type '94': Hospital Service Site Summary									
F#	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type	
12	Filler	Text	56	195	250	N				

^{*}Fields #2 – 10 should be repeated for each of the provider sites included in the provider filing.

RECORD TYPE 95 – PROVIDER BATCH CONTROL

- Required for every Batch.
- Only one 95 record and Batch per File.
- Must be preceded by RT 94.

	Record Type '95': Provider Batch Control										
- #	Field Name	Туре	Lgth	Pos Frm	Pos To	R?	Edit Specifications	Field Definition	Error Type		
	Record Type '95'	Text	2	1	2	R	Must be present. Must be 95.	Indicator for Record Type '95': Provider Batch Control.	A		
	Number of Outpatient ED Visits	Num	6	3	8	R	Must be present. Must be Numeric format. Must be the correct number as defined.	A count of the number of Record Type 20 entries for this provider filing.	A		
	Total Charges for Batch	Curr	12	9	20	R	Must be present. Must be unformatted currency format. Must be correct number as defined.	Sum of charges entered in RT 20, field 21 (Charges).	A		
	Filler	Text	230	21	250	N					

Outpatient Emergency Department Visit Data Code Tables:

I) CHIA Organization IDs for Hospitals

ORG ID	CURRENT ORGANIZATION NAME
1	Anna Jaques Hospital
2	Athol Memorial Hospital
6	Baystate Mary Lane Hospital
4	Baystate Medical Center
7	Berkshire Medical Center - Berkshire Campus
9	Berkshire Medical Center - Hillcrest Campus
53	Beth Israel Deaconess Hospital - Needham
10	Beth Israel Deaconess Medical Center - East Campus
16	Boston Medical Center - Harrison Avenue Campus
144	Boston Medical Center - East Newton Campus (1)
19	East Boston Neighborhood Health Center
22	Brigham and Women's Hospital
25	Brockton Hospital
3118	Cable Emergency Center
27	Cambridge Health Alliance - Cambridge Campus
143	Cambridge Health Alliance - Somerville Campus
142	Cambridge Health Alliance - Whidden Memorial Campus

39	Cape Cod Hospital								
42	Caritas Carney Hospital								
62	Caritas Good Samaritan Medical Center - Brockton Campus								
75	Caritas Holy Family Hospital and Medical Center								
41	Caritas Norwood Hospital								
126	Caritas St. Elizabeth's Medical Center								
46	Children's Hospital Boston								
132	Clinton Hospital								
50	Cooley Dickinson Hospital								
57	Emerson Hospital								
8	Fairview Hospital								
40	Falmouth Hospital								
59	Faulkner Hospital								
5	Franklin Medical Center								
66	Hallmark Health System - Lawrence Memorial Hospital Campus								
141	Hallmark Health System - Melrose-Wakefield Hospital Campus								
68	Harrington Memorial Hospital								
71	Health Alliance Hospitals, Inc.								
8548	Health Alliance Hospital Burbank Campus								
8509	Health Alliance Hospital Leominster Campus								
73	Heywood Hospital								

77	Holyoke Medical Center
78	Hubbard Regional Hospital
79	Jordan Hospital
81	Lahey Clinic Burlington Campus
4448	Lahey Clinic Northshore
83	Lawrence General Hospital
85	Lowell General Hospital
133	Marlborough Hospital
88	Martha's Vineyard Hospital
89	Massachusetts Eye and Ear Infirmary
91	Massachusetts General Hospital
119	Mercy Medical Center - Springfield Campus
70	Merrimack Valley Hospital
49	MetroWest Medical Center - Framingham Campus
457	MetroWest Medical Center - Leonard Morse Campus
97	Milford Regional Medical Center
98	Milton Hospital
99	Morton Hospital and Medical Center
100	Mount Auburn Hospital
101	Nantucket Cottage Hospital
52	Nashoba Valley Medical Center

105	Newton-Wellesley Hospital
106	Noble Hospital
107	North Adams Regional Hospital
116	North Shore Medical Center, Inc Salem Campus
3	North Shore Medical Center, Inc Union Campus
109	Northeast Health System - Addison Gilbert Campus
110	Northeast Health System - Beverly Campus
112	Quincy Medical Center
114	Saint Anne's Hospital
127	Saint Vincent Hospital
115	Saints Memorial Medical Center
122	South Shore Hospital
123	Southcoast Hospitals Group - Charlton Memorial Campus
124	Southcoast Hospitals Group - St. Luke's Campus
145	Southcoast Hospitals Group - Tobey Hospital Campus
129	Sturdy Memorial Hospital
104	Tufts-New England Medical Center
131	UMass Memorial Medical Center - University Campus
130	UMass Memorial Medical Center - Memorial Campus
138	Winchester Hospital
139	Wing Memorial Hospital and Medical Centers

II) Payer Type Code

	Payer Type Code								
Payer Type Code	Payer Type Abbreviation	Payer Type Definition							
1	SP	Self Pay							
2	WOR	Worker's Compensation							
3	MCR	Medicare							
F	MCR-MC	Medicare Managed Care							
4	MCD	Medicaid							
В	MCD-MC	Medicaid Managed Care							
5	GOV	Other Government Payment							
6	BCBS	Blue Cross							
С	BCBS-MC	Blue Cross Managed Care							
7	СОМ	Commercial Insurance							
D	COM-MC	Commercial Managed Care							
8	НМО	НМО							
9	FC	Free Care							
0	ОТН	Other Non-Managed Care Plans							
E	PPO	PPO and Other Managed Care Plans Not Elsewhere Classified							
J	POS	Point-of-Service Plan							
K	EPO	Exclusive Provider Organization							
Т	Al	Auto Insurance							
Q	ComCare	Commonwealth Care/ConnectorCare Plans							

Payer Type Code		
Payer Type Code Payer Type Abbreviation Payer Type Definition		Payer Type Definition
Z	DEN	Dental Plans
N	None	None (Valid only for Secondary Payer)

III) Source of Payment Code – See CHIA website for complete listing.

IV) Patient Sex

Patient Sex	
Valid Entries	Definition
M	Male
F	Female
U	Unknown

V) Patient Race

Race Code	Patient Race Definition
R1	American Indian/Alaska Native
R2	Asian
R3	Black/African American
R4	Native Hawaiian or other Pacific Islander
R5	White

R9	Other Race
Unknow	Unknown/not specified

VI) Patient Hispanic Indicator

Patient Hispanic Indicator	
Valid Entries	Definition
Υ	Patient is Hispanic/Latino/Spanish.
N	Patient is not Hispanic/Latino/Spanish.

VII) Patient Ethnicity

UTilize full list of standard codes, per Center for Disease Control, and those listed below: http://www.cdc.gov/nchs/data/dvs/Race Ethnicity CodeSet.pdf		
Ethnicity Code	Ethnicity Definition	
AMERCN	American	
BRAZIL	Brazilian	
CVERDN	Cape Verdean	
CARIBI	Caribbean Island	
PORTUG	Portuguese	
RUSSIA	Russian	

EASTEU	Eastern European
OTHER	Other Ethnicity
UNKNOW	Unknown/not specified

VIII) Type of Visit

Type of Visit Code	Type of Visit Definition
1	Emergency
2	Urgent
3	Non-Urgent
4	Newborn
5	Information Unavailable

IX) Source of Visit

Source of Visit Code	Source of Visit Definition	Source of Visit Code	Source of Visit Definition (Newborn Only)
0	Information Not Available	Z	Information Not Available - Newborn
1	Direct Physician Referral	А	Normal Delivery
2	Within Hospital Clinic Referral	В	Premature Delivery
3	Direct Health Plan Referral/HMO Referral	С	Sick Baby
4	Transfer from Acute Care Hospital	D	Extramural Birth
5	Transfer from a Skilled Nursing Facility (SNF)		j

Source of Visit Code	Source of Visit Definition	Source of Visit Code	Source of Visit Definition (Newborn Only)
6	Transfer from Intermediate Care Facility (ICF)		
7	Outside Hospital Emergency Room Transfer		
8	Court/Law Enforcement		
9	Other		
F	Transfer from a Hospice Facility		
L	Outside Hospital Clinic Referral		
М	Walk-In/Self Referral		
Т	Transfer from Another Institution's Ambulatory Surgery (SDS)		
Y	Within Hospital Ambulatory Surgery Transfer (SDS Transfer)		
E	EMS Transport Decision		

X) Patient Departure Status Code

Departure Status Code		
Departure Status Code Patient Disposition (Departure Status):		
1	Routine (i.e. to home or usual place of residence)	
3	Transferred to Other Facility	
4	AMA	
6	Eloped	

Departure Status Code		
Departure Status Code	Departure Status Code Patient Disposition (Departure Status):	
8	Within Hospital Clinic Referral	
9	Dead on Arrival (with or without resuscitative efforts in the ED)	
0	Died during ED Visit	
Р	Patient met personal physician in the emergency department (not seen by staff)	

XI) Other Caregiver Code

Other Caregiver Code		
Other Caregiver Code	Other Caregiver Definition	
1	Resident	
2	Intern	
3	Nurse Practitioner	
5	Physician Assistant	

XII) Patient's Mode of Transport Code

Patient's Mode of Transport Code		
Code	Description	
1	Ambulance	
2	Helicopter	
3	Law Enforcement	

Patient's Mode of Transport Code		
Code	Description	
4	Walk-in (incl. private or public transport)	
5	Other	
9	Unknown	

XIII) Homeless Indicator

Patient Homeless Indicator		
Valid Entries	Entries Definition	
Υ	Patient is known to be homeless.	
N	Patient is not known to be homeless.	

XIV) Condition Present on Visit Flag

Condition Present on Visit Flag		
Code	Description	
Υ	Yes	
N	No	
U	Unknown	
W	Clinically undetermined	
1	Not applicable (only valid for NCHS official published list of not applicable ICD-9-CM codes for POA flag)	

Outpatient Emergency Department Visit Data Quality Standards

The data will be edited for compliance with the edit specifications set forth in this document. The standards to be employed for rejecting data submissions from hospitals will be based upon the presence of Category A or B errors as listed for each data element under the following conditions:

All errors will be recorded for each patient Record and for the Submission as a whole. An Edit Report will be provided to the Hospital, displaying detail for all errors found in the Submission.

A patient **Record** will be rejected if there is:

- Presence of one or more errors for Category A elements.
- Presence of two or more errors for Category B elements.

A hospital data Submission will be rejected if:

- Any Category A elements of Provider Record (Record Type 10), Hospital Service Site Summary (Record Type 94), Provider Batch Control Record (Record Type 95) or End of Line Indicators are in error or
- 1% or more of discharges are rejected or
- 50 consecutive records are rejected.

Acceptance of data under the edit check procedures identified in this document shall not be deemed acceptance of the factual accuracy of the data contained therein.

Definitions

Emergency Department (ED).

The department of a hospital, or health care facility off the premises of a hospital that is listed on the license of the hospital and qualifies as a Satellite Emergency Facility.

Emergency Department Visit.

Any visit by a patient to an emergency department for which the patient is registered at the ED, but which results in neither an outpatient observation stay nor the inpatient admission of the patient at the reporting facility. An ED visit occurs even if the only service provided to a registered patient is triage or screening.

Submittal Schedule

Outpatient Emergency Department Visit Data Files must be submitted quarterly to the CHIA according to the following schedule:

Quarter	Quarter Begin & End Dates	Due Date for Data File: 75 days following the end of the reporting period
1	10/1 – 12/31	3/16
2	1/1 – 3/31	6/14

Quarter	Quarter Begin & End Dates	Due Date for Data File: 75 days following the end of the reporting period
3	4/1 – 6/30	9/13
4	7/1 – 9/30	12/14